
# Breathable Fleece SUPERNOVA+





## Supernova

## **Plus Cover**

## Supernova **Plus Cover**





### Breathable

Prevents moisture from the ground from condensing on the underside of the cover, avoiding damaging moulds



### Supernova Plus Cover is extremely

obust, wind-proof and durable.



Hydrophobic
Makes the greatest part of water and snow slide on the surface



## UV rays protection Supernova Plus Cover is a strong parrier against UV rays. It prevents

damages and losses. The UV reatment also protects the cover




Thanks to its robust structure and UV treatment, Supernova Plus Cover is durable and reusable


# SUPER Nova


Supernova Plus Cover is:


- · highly breathable, no more moulds and damaged bales
- a perfect UV rays barrier
- a secure protection from rain and snow avoiding that the majority of water reaches the bale surface
- tear-resistant and windproof
- sustainable since recyclable, durable and reusable
- 160 g/m<sup>2</sup>


## **Quick User Guide**











## Supernova Plus **Cover, extraordinary** coverage power: 160 g/m<sup>2</sup>



Width (m)	9,80	9,80	12,20	15,60
Length (m)	12,50	25,00	25,00	25,00
Bales covered	up to 60	up to 120	up to 200	up to 300
Rolls per pallet	12	8	8	8

Based on the number of bales to be covered, you will find the most suitable size for the dimensions of your bale stack.

## **Accessories**



### **Plastic screw**

Thanks to these screws. you can anchor Supernova Cover firmily, ensuring tightness also during windy days.



### **Velcro Hook Tape**

The Velcro Hook Tape is a great help when you need to match up multiple Supernova Covers to protect a longer bale stack.




### Metallic clip

In order to anchor firmly Supernova Cover on the stack, we suggest adopting 1-inch metal pipes and metal clips.





## Supernova Stack Cover

## How to use it




(\*) standard bales: 1,25xØ1,60m





(\*) standard bales: 1,25xØ1,60m



(\*) standard bales: 1,25xØ1,60m

Novatex Italia SpA
Via per Dolzago 37, 23848 Oggiono (LC) - Italy
Tel +39 0341 267611 - Fax +39 0341 260408
www.novatexitalia.com

